



## Sureloc Lethal Weapon 2

**Weight:** 5.61 oz

**Inside Diameter of Aperture:** 1.964"

**MSRP:** \$159.99 (manufacturer)

**Warranty:** Archery products (with exception of fiber optic pins and scope lenses) are guaranteed against defects in both workmanship and materials for two years from the date of purchase

### Introduction and General Comments:

The Sureloc Lethal Weapon requires some assembly. The sight allows for individual pin or pin gang adjustment. An integrated spline wrench tool is provided for set screws located on the pin.

### Adjustability: Scored 15.44 points

The typical ranges experienced per this evaluation were:

Maximum: 17.00 points

Minimum: 3.00 points

**Craftsmanship/Workmanship:** Unable to evaluate due to assembly.

### Fiber Durability: Measurement .73 lbs


The typical ranges experienced per this evaluation were:

Maximum: 4.00 lbs

Minimum: .100 lbs

Note: Fiber depth within aperture measured from the rear of the sight 0.41", the aperture has several cutouts.

### Fiber Illumination:



### Vibration Analysis:

This analysis revealed no movement in windage, elevation or pins. No physical damage occurred.



**ARCHERY EVOLUTION**

**SYRACUSE, NY**

**[www.ArcheryEvolution.com](http://www.ArcheryEvolution.com)**

#### Disclaimer of Warranties; Limitation of Liability

The authors have made reasonable efforts to ensure the accuracy and validity of its testing, however, the authors specifically disclaim any warranty, expressed or implied, relating to the test results and analysis, their accuracy, completeness or quality, including any implied warranty of fitness for any particular purpose. All persons or entities relying on the results of any testing do so at their own risk, and agree that the authors shall have no liability whatsoever from any claim of loss or damage on account of any alleged error or defect in any testing procedure or result. In no event shall the authors be liable for indirect, special, incidental, or consequential damages in connection with its testing.